

**Notice of Allowability**

Application No.

10/674,870

Examiner

Daniel Pihulic

Applicant(s)

PRESTON, NIGEL ASHLEY

Art Unit

3662

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the communication filed on 15 November 2004.
2. ☒ The allowed claim(s) is/are 1-3, 5, 6 and 8-12.
3. ☒ The drawings filed on 29 September 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Daniel Pihulic  
Primary Examiner  
Art Unit: 3662

Art Unit: 3662

1. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose the said receive signal includes a sequence of samples, including a last sample, each of said samples having a magnitude, and wherein said step of defining a maximum signal profile includes setting the magnitude of said maximum signal profile equal to the magnitude of said last sample and, moving backwards in the sequence, comparing the magnitude of said maximum signal profile to the magnitude of each of said samples and setting said maximum signal profile to the magnitude of one of said samples if the magnitude of said one of said samples is greater than the magnitude of said maximum signal profile, thereby tracking the upper envelope of said receive signal as recited in independent claims 1 and 6.

The prior art also does not disclose setting the magnitude of said minimum signal profile equal to the magnitude of said first sample and, moving forwards in the sequence, comparing the magnitude of said minimum signal profile to the magnitude of each of said samples and setting said minimum signal profile to the magnitude of one of said samples if the magnitude of said one of said samples is less than the magnitude of said minimum signal profile, thereby tracking the lower envelope of said receive signal as recited in independent claims 11 and 12.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3662

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel Pihulic whose telephone number is 703-306-4168. The examiner can normally be reached on Monday through Thursday from 7 a.m. to 5 p.m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Tarcza, can be reached on 703-306-4171.

The fax phone numbers for the organization where this application or proceeding is assigned are:

703-872-9306 for official responses, and

703-746-3847 for unofficial communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



**Daniel Pihulic**  
**Primary Examiner**  
**Art Unit 3662**